

REEFER REPORT

ATLANTIC REEFER

UT 11:15 10/04/01

USDA REPORT

(DATA ARE INDICATED BY degC)

HOLD TAG		SENSORE NO.										
1 /		1	2	3	4	5	6	7	8	9	10	11
1A	A	13.7	14.0	13.1	14.3	13.3	13.3	13.1				
1B	B	0.0	0.1	0.2	0.2	0.1	0.1					
1C/D	C	0.1	0.1	9.0	0.2	0.1	0.1	5.9	5.7	5.5		
2A	D	5.5	6.0	5.7	5.9	5.7	5.8					
2B/C	E	4.4	4.9	4.3	4.7	4.8	4.7	4.8	4.9	4.6	4.6	4.8
2D/E	F	6.1	6.3	6.2	6.3	6.2	6.3	5.7	5.7	5.8		
3A	G	11.3	12.2	12.7	11.7	11.9	14.1					
3B/C	H	10.0	9.5	8.0	11.4	10.8	10.9	10.1	7.9	8.5	7.1	8.4
3D/E	J	5.8	6.3	4.4	5.9	5.9	5.9	6.1	5.1	4.8	5.0	4.8
4A	K	0.1	0.7	0.1	0.1	0.6	0.3					
4B/C	L	10.0	0.1	6.2	10.5	9.9	0.1	0.3	6.5	5.9	6.0	6.3
4D/E	M	5.3	6.5	5.1	5.8	5.8	5.9	5.1	5.1	5.2		

HOLD CONDITION

	ST'BD			PORT			CO2 (%)	HUMI (%)	ACF	SUP
	DEL (degC)	RET (degC)	VLV (degC)	DEL (degC)	RET (degC)	VLV (%)				
1A	10.3	14.8	0	11.8	14.4	0	-0.50	71.9	STOP	STOP
1B	9.4	13.7	100	9.9	13.0	100	-0.50	80.9	STOP	STOP
1CD	5.1	12.4	100	5.3	10.4	100	-0.50	84.7	STOP	STOP
2A/B/C	3.7	12.4	95	3.9	8.5	100	-0.50	76.2	STOP	STOP
2D/E	5.4	7.1	#####	5.8	6.5	#####	-0.50	84.4	STOP	STOP
3A/B/C	10.4	15.5	0	10.7	15.5	0	-0.50	71.1	STOP	STOP
3D/E	4.2	6.8	100	4.7	7.2	100	-0.50	73.4	STOP	STOP
4A/B/C	7.4	13.6	100	7.7	14.5	100	-0.50	81.9	STOP	STOP
4D/E	4.6	7.7	100	4.9	8.0	100	-0.50	75.9	STOP	STOP

COMP. CONDITION

	No.1	No.2	No.3
COMP.STATUS	STOP	STOP	STOP
PRESS SUC. (kg/cm2)	5.0	3.5	1.6
PRESS DIS. (kg/cm2)	4.7	5.8	7.6
PRESS OIL (kg/cm2)	4.6	5.7	8.0
TEMP. SUC. (degC)	31.3	30.4	17.1
TEMP. DIS. (degC)	28.8	28.8	30.9
TEMP. OIL (degC)	27.5	28.6	30.7
BR_IN_T. (degC)	24.0	19.1	0.9
BR_OUT_T. (degC)	24.6	19.6	1.0
R22_TEMP. (degC)	29.0	27.1	6.0
SUPER HEAT (degC)	23.8	30.7	25.3
EXP.VALVE (%)	-20.0	-20.0	-20.0
CSW OUT T. (degC)	29.6	29.9	31.4
AMP. (Amp)	0	0	0

SEA WATER 30.7 degC

OUT DOOR 18.0 degC