

ID	Description	State	Message	Value	Unit	Date	Time
201	FIXED SENSOR 2 HOLD 20	NORM	NORMAL	-15.8	°C	(U-)	08-07-02 14:02:16
202	FIXED SENSOR 1 HOLD 20	NORM	NORMAL	-19.5	°C	(U-)	08-07-02 14:02:16
205	FIXED SENSOR 2 HOLD 20	NORM	NORMAL	-19.1	°C	(U-)	08-07-02 14:02:16
206	FIXED SENSOR 1 HOLD 20	NORM	NORMAL	-21.2	°C	(U-)	08-07-02 14:02:16
209	FIXED SENSOR 2 HOLD 28	NORM	NORMAL	-20.6	°C	(U-)	08-07-02 14:02:16
210	FIXED SENSOR 1 HOLD 28	NORM	NORMAL	-20.6	°C	(U-)	08-07-02 14:02:16
213	FIXED SENSOR 2 HOLD 28	NORM	NORMAL	-20.5	°C	(U-)	08-07-02 14:02:16
214	FIXED SENSOR 1 HOLD 28	NORM	NORMAL	-20.0	°C	(U-)	08-07-02 14:02:16
217	FIXED SENSOR 2 HOLD 10	NORM	NORMAL	-19.2	°C	(U-)	08-07-02 14:02:16
218	FIXED SENSOR 2 HOLD 10	NORM	NORMAL	-20.3	°C	(U-)	08-07-02 14:02:16
221	FIXED SENSOR 1 HOLD 10	NORM	NORMAL	-21.2	°C	(U-)	08-07-02 14:02:16
222	FIXED SENSOR 2 HOLD 18	NORM	NORMAL	-21.2	°C	(U-)	08-07-02 14:02:16
225	FIXED SENSOR 1 HOLD 19	NORM	NORMAL	-18.8	°C	(U-)	08-07-02 14:02:16
226	FIXED SENSOR 2 HOLD 19	NORM	NORMAL	-19.8	°C	(U-)	08-07-02 14:02:16
227	FIXED SENSOR 4 HOLD 20	NORM	NORMAL	-21.1	°C	(U-)	08-07-02 14:02:16
228	FIXED SENSOR 3 HOLD 20	NORM	NORMAL	-20.3	°C	(U-)	08-07-02 14:02:16
231	FIXED SENSOR 4 HOLD 20	NORM	NORMAL	-21.2	°C	(U-)	08-07-02 14:02:16
232	FIXED SENSOR 3 HOLD 20	NORM	NORMAL	-20.8	°C	(U-)	08-07-02 14:02:16
235	FIXED SENSOR 4 HOLD 28	NORM	NORMAL	-19.1	°C	(U-)	08-07-02 14:02:16
236	FIXED SENSOR 3 HOLD 28	NORM	NORMAL	-19.5	°C	(U-)	08-07-02 14:02:16
239	FIXED SENSOR 4 HOLD 28	NORM	NORMAL	-18.0	°C	(U-)	08-07-02 14:02:16
240	FIXED SENSOR 3 HOLD 28	NORM	NORMAL	-17.8	°C	(U-)	08-07-02 14:02:16
243	FIXED SENSOR 4 HOLD 10	NORM	NORMAL	-20.6	°C	(U-)	08-07-02 14:02:16
244	FIXED SENSOR 3 HOLD 10	NORM	NORMAL	-21.1	°C	(U-)	08-07-02 14:02:16
247	FIXED SENSOR 4 HOLD 18	NORM	NORMAL	-13.5	°C	(U-)	08-07-02 14:02:16
248	FIXED SENSOR 3 HOLD 18	NORM	NORMAL	-18.9	°C	(U-)	08-07-02 14:02:16
251	FIXED SENSOR 4 HOLD 18	NORM	NORMAL	-15.4	°C	(U-)	08-07-02 14:02:16
252	FIXED SENSOR 3 HOLD 18	NORM	NORMAL	-18.0	°C	(U-)	08-07-02 14:02:16
253	FIXED SENSOR 6 HOLD 20	NORM	NORMAL	-20.5	°C	(U-)	08-07-02 14:02:16
254	FIXED SENSOR 5 HOLD 20	NORM	NORMAL	-20.0	°C	(U-)	08-07-02 14:02:16
255	FIXED SENSOR 6 HOLD 20	NORM	NORMAL	-20.6	°C	(U-)	08-07-02 14:02:16
256	FIXED SENSOR 5 HOLD 20	NORM	NORMAL	-20.6	°C	(U-)	08-07-02 14:02:16
258	FIXED SENSOR 7 HOLD 28	NORM	NORMAL	-17.4	°C	(U-)	08-07-02 14:02:16
259	FIXED SENSOR 6 HOLD 28	NORM	NORMAL	-19.2	°C	(U-)	08-07-02 14:02:16
260	FIXED SENSOR 5 HOLD 28	NORM	NORMAL	-16.7	°C	(U-)	08-07-02 14:02:16
261	FIXED SENSOR 5 HOLD 28	NORM	NORMAL	-17.1	°C	(U-)	08-07-02 14:02:16
262	FIXED SENSOR 5 HOLD 10	NORM	NORMAL	-15.0	°C	(U-)	08-07-02 14:02:16
263	FIXED SENSOR 6 HOLD 18	NORM	NORMAL	-20.0	°C	(U-)	08-07-02 14:02:16
264	FIXED SENSOR 5 HOLD 18	NORM	NORMAL	-14.9	°C	(U-)	08-07-02 14:02:16
265	FIXED SENSOR 5 HOLD 18	NORM	NORMAL	-18.8	°C	(U-)	08-07-02 14:02:16
266	FIXED SENSOR 6 HOLD 18	NORM	NORMAL	-15.3	°C	(U-)	08-07-02 14:02:16
401	FIXED SENSOR 5 HOLD 18	NORM	NORMAL	-19.8	°C	(U-)	08-07-02 14:02:16
402	FIXED SENSOR 2 HOLD 40	NORM	NORMAL	-13.6	°C	(U-)	08-07-02 14:02:16
405	FIXED SENSOR 1 HOLD 40	NORM	NORMAL	-20.8	°C	(U-)	08-07-02 14:02:16
406	FIXED SENSOR 2 HOLD 40	NORM	NORMAL	-12.2	°C	(U-)	08-07-02 14:02:16
409	FIXED SENSOR 1 HOLD 48	NORM	NORMAL	-19.2	°C	(U-)	08-07-02 14:02:16
410	FIXED SENSOR 2 HOLD 48	NORM	NORMAL	-19.4	°C	(U-)	08-07-02 14:02:16
413	FIXED SENSOR 1 HOLD 48	NORM	NORMAL	-19.8	°C	(U-)	08-07-02 14:02:16
414	FIXED SENSOR 2 HOLD 48	NORM	NORMAL	-18.4	°C	(U-)	08-07-02 14:02:16
415	FIXED SENSOR 1 HOLD 48	NORM	NORMAL	-19.5	°C	(U-)	08-07-02 14:02:16
416	FIXED SENSOR 2 HOLD 30	NORM	NORMAL	-18.6	°C	(U-)	08-07-02 14:02:16
419	FIXED SENSOR 1 HOLD 30	NORM	NORMAL	-19.2	°C	(U-)	08-07-02 14:02:16
420	FIXED SENSOR 2 HOLD 30	NORM	NORMAL	-18.8	°C	(U-)	08-07-02 14:02:16
423	FIXED SENSOR 1 HOLD 30	NORM	NORMAL	-20.0	°C	(U-)	08-07-02 14:02:16
424	FIXED SENSOR 2 HOLD 38	NORM	NORMAL	-19.5	°C	(U-)	08-07-02 14:02:16
427	FIXED SENSOR 1 HOLD 38	NORM	NORMAL	-20.5	°C	(U-)	08-07-02 14:02:16
428	FIXED SENSOR 2 HOLD 38	NORM	NORMAL	-19.8	°C	(U-)	08-07-02 14:02:16
430	FIXED SENSOR 4 HOLD 40	NORM	NORMAL	-19.8	°C	(U-)	08-07-02 14:02:16

ID	Description	State	Message	Value	Unit	Date	Time
431	FLEX SENSOR 3 HOLD 40	NORM	NORMAL	-20.0	°C	(U-)	08-07-02 14:02:16
434	FLEX SENSOR 4 HOLD 40	NORM	NORMAL	-20.8	°C	(U-)	08-07-02 14:02:16
435	FLEX SENSOR 3 HOLD 40	NORM	NORMAL	-20.3	°C	(U-)	08-07-02 14:02:16
438	FLEX SENSOR 4 HOLD 48	NORM	NORMAL	-19.5	°C	(U-)	08-07-02 14:02:16
439	FLEX SENSOR 3 HOLD 48	NORM	NORMAL	-19.1	°C	(U-)	08-07-02 14:02:16
442	FLEX SENSOR 4 HOLD 48	NORM	NORMAL	-18.4	°C	(U-)	08-07-02 14:02:16
443	FLEX SENSOR 3 HOLD 48	NORM	NORMAL	-18.9	°C	(U-)	08-07-02 14:02:16
444	FLEX SENSOR 4 HOLD 30	NORM	NORMAL	-20.0	°C	(U-)	08-07-02 14:02:16
445	FLEX SENSOR 3 HOLD 30	NORM	NORMAL	-20.0	°C	(U-)	08-07-02 14:02:16
448	FLEX SENSOR 4 HOLD 30	NORM	NORMAL	-20.5	°C	(U-)	08-07-02 14:02:16
449	FLEX SENSOR 3 HOLD 30	NORM	NORMAL	-20.5	°C	(U-)	08-07-02 14:02:16
452	FLEX SENSOR 4 HOLD 38	NORM	NORMAL	-19.2	°C	(U-)	08-07-02 14:02:16
453	FLEX SENSOR 3 HOLD 38	NORM	NORMAL	-17.5	°C	(U-)	08-07-02 14:02:16
456	FLEX SENSOR 4 HOLD 38	NORM	NORMAL	-17.8	°C	(U-)	08-07-02 14:02:16
456	FLEX SENSOR 3 HOLD 38	NORM	NORMAL	-15.6	°C	(U-)	08-07-02 14:02:16
457	FLEX SENSOR 6 HOLD 38	NORM	NORMAL	-19.5	°C	(U-)	08-07-02 14:02:16
459	FLEX SENSOR 5 HOLD 40	NORM	NORMAL	-15.4	°C	(U-)	08-07-02 14:02:16
460	FLEX SENSOR 5 HOLD 40	NORM	NORMAL	-19.2	°C	(U-)	08-07-02 14:02:16
461	FLEX SENSOR 6 HOLD 40	NORM	NORMAL	-14.3	°C	(U-)	08-07-02 14:02:16
462	FLEX SENSOR 5 HOLD 40	NORM	NORMAL	-150.3	°C	(U-)	08-07-02 14:02:18
463	FLEX SENSOR 7 HOLD 48	FAIL	SENS FAIL	-3.4	°C	(U-)	08-07-02 14:02:16
464	FLEX SENSOR 6 HOLD 48	NORM	NORMAL	-13.2	°C	(U-)	08-07-02 14:02:16
465	FLEX SENSOR 5 HOLD 48	NORM	NORMAL	-15.7	°C	(U-)	08-07-02 14:02:16
466	FLEX SENSOR 6 HOLD 44	NORM	NORMAL	-20.2	°C	(U-)	08-07-02 14:02:16
467	FLEX SENSOR 5 HOLD 44	NORM	NORMAL	-20.6	°C	(U-)	08-07-02 14:02:16
468	FLEX SENSOR 6 HOLD 30	NORM	NORMAL	-20.3	°C	(U-)	08-07-02 14:02:16
469	FLEX SENSOR 5 HOLD 30	NORM	NORMAL	-20.8	°C	(U-)	08-07-02 14:02:16
470	FLEX SENSOR 6 HOLD 30	NORM	NORMAL	-18.6	°C	(U-)	08-07-02 14:02:16
471	FLEX SENSOR 5 HOLD 30	NORM	NORMAL	-18.9	°C	(U-)	08-07-02 14:02:16
472	FLEX SENSOR 7 HOLD 38	NORM	NORMAL	-19.2	°C	(U-)	08-07-02 14:02:16
473	FLEX SENSOR 6 HOLD 38	NORM	NORMAL	-17.2	°C	(U-)	08-07-02 14:02:16
474	FLEX SENSOR 5 HOLD 38	NORM	NORMAL	-16.3	°C	(U-)	08-07-02 14:02:16
475	FLEX SENSOR 6 HOLD 38	NORM	NORMAL		°C		
476	FLEX SENSOR 5 HOLD 38	NORM	NORMAL		°C		

End of report