

Santa Maria
 Hull # 323
 IMO # 9194957

USDA REPORT

Temperature (degrees C)

UT 08:00 98/02/12

HOLD	TAG	SENSOR No.											
		1	2	3	4	5	6	7	8	9	10	11	
1A	A	1.2	1.2	1.2	1.2	1.2	1.2	1.2	1.2	1.2			
1B/C	B	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3		
1D	C	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1				
2A/B	D	1.2	1.2	1.2	1.2	1.2	1.2	1.2	1.2	1.2	1.2	1.2	1.2
2C/D	E	1.2	1.2	1.2	1.2	1.2	1.2	1.2	1.2	1.2	1.2		
3A/B	F	1.2	1.2	1.2	1.2	1.2	1.2	1.2	1.2	1.2	1.2	1.2	1.2
3C/D	G	1.2	1.2	1.2	1.2	1.2	1.2	1.2	1.2	1.2	1.2	1.2	1.2
4A/B	H	3.5 H	3.5 H	3.5 H	3.5 H	3.5 H	3.5 H	3.5 H	3.5 H	3.5 H	3.5 H	3.5 H	3.5 H
4C/D	J	3.5 H	3.5 H	3.5 H	3.5 H	3.5 H	3.5 H	3.5 H	3.5 H	3.5 H	3.5 H	3.5 H	3.5 H

High temperature alarm
 Alarm set value can be changed
 between 0.0 and 2.2 degrees C

